ACCUD

ACCURATE MEASUREMENT



See full product range at: accud.nz

Webster Hardness Tester

Series HW



© Copyright M Gamer Pty. Ltd. 2023

Features

To measure the hardness of soft metal such as aluminum alloy, copper, brass, soft steel
Conforms to the standard ASTM B647

Specifications

Part No	Specification
AC-HW-B75	Application: hard aluminum alloy and brass Measuring hardness range: 63-105HRF Thickness range to be measured of flat workpiece: 0.4 ~ 6mm Min. Internal diameter of tube workpiece: Ø10mm Hardness range: 0 ~ 20HW Min. reading: 1HW Accuracy: ±0.5HW (at 5 ~ 17HW) Dimension: 205×30×85mm Weight: 500g Included accessories Main unit: 1pc Spare indenter: 1pc Hardness test block: 1pc Wrench: 1pc
AC-HW-B92	Application: soft steel and cold-rolled steel Measuring hardness range: 50-92HRB Thickness range to be measured of flat workpiece: 0.4 ~ 6mm Min. Internal diameter of tube workpiece: Ø10mm Hardness range: 0 ~ 20HW Min. reading: 1HW Accuracy: ±0.5HW (at 5 ~ 17HW) Dimension: 205×30×85mm Weight: 500g Included accessories Main unit: 1pc Spare indenter: 1pc Hardness test block: 1pc Wrench: 1pc

© 2026 M Gamer Pty Ltd

Part No	Specification
AC-HW-C75	Application: soft brass and copper Measuring hardness range: 18-100HRE Thickness range to be measured of flat workpiece: 0.4 ~ 6mm Min. Internal diameter of tube workpiece: Ø10mm Hardness range: 0 ~ 20HW Min. reading: 1HW Accuracy: ±0.5HW (at 5 ~ 17HW) Dimension: 205×30×85mm Weight: 500g Included accessories Main unit: 1pc Spare indenter: 1pc Hardness test block: 1pc Wrench: 1pc
AC-HW-L20	Application: aluminum alloy Measuring hardness range: 58-131HV Thickness range to be measured of flat workpiece: 0.4 ~ 6mm Min. Internal diameter of tube workpiece: Ø10mm Hardness range: 0 ~ 20HW Min. reading: 1HW Accuracy: ±0.5HW (at 5 ~ 17HW) Dimension: 205×30×85mm Weight: 500g Included accessories Main unit: 1pc Spare indenter: 1pc Hardness test block: 1pc Wrench: 1pc
AC-HW-L20A	Application: aluminum alloy Measuring hardness range: 58-131HV Thickness range to be measured of flat workpiece: 0.4 ~ 13mm Min. Internal diameter of tube workpiece: Ø10mm Hardness range: 0 ~ 20HW Min. reading: 1HW Accuracy: ±0.5HW (at 5 ~ 17HW) Dimension: 205×30×85mm Weight: 500g Included accessories Main unit: 1pc Spare indenter: 1pc Hardness test block: 1pc Wrench: 1pc
AC-HW-L20B	Application: aluminum alloy Measuring hardness range: 58-131HV Thickness range to be measured of flat workpiece: 0.4 ~ 8mm Min. Internal diameter of tube workpiece: Ø6mm Hardness range: 0 ~ 20HW Min. reading: 1HW Accuracy: ±0.5HW (at 5 ~ 17HW) Dimension: 205×30×85mm Weight: 500g Included accessories Main unit: 1pc Spare indenter: 1pc Hardness test block: 1pc Wrench: 1pc

© 2026 M Gamer Pty Ltd