

# ACCUD

## ACCURATE MEASUREMENT



See full product range at: [accud.nz](http://accud.nz)

# Digital Torque Meter

Series TT



## Features

For torque wrench and torque screw driver calibration  
For clockwise and anti-clockwise operation  
Unit: N.m, N.cm, kgf.cm, lbf.cm, lbf.in  
Peak, preset and real-time working mode  
Power off automatically  
High and low limit with judgement

© Copyright M Gamer Pty. Ltd. 2023

## Specifications

Part No	Specification
AC-TT05	<p>Range: 0.1~5N.m Accuracy: ±1% Resolution: 0.0001N.m Size of square drive: 1/4"" Convector: without Power: AC/DC adapter Weight: 3.1kg</p> <p>Included accessories Main unit: 1pc Sensor(cable length 1.5m): 1pc 1.2m sensor extension cable: 1pc AC/DC adaptor: 1pc</p>
AC-TT1000	<p>Range: 100~1000N.m Accuracy: ±1% Resolution: 0.1N.m Size of square drive: 1"" Convector: 1"" to 3/4"" 3/4"" to 1/2"" 1/2"" to 3/8"" Power: AC/DC adapter Weight: 6.4kg</p> <p>Included accessories Main unit: 1pc Sensor(cable length 1.5m): 1pc 1.2m sensor extension cable: 1pc AC/DC adaptor: 1pc</p>

Part No	Specification
AC-TT220	<p>Range: 22-220N.m            Accuracy: ±1%            Resolution: 0.01N.m            Size of square drive: 1/2""            Conventor: 1/2"" to 3/8"";            3/8"" to 1/4""            Power: AC/DC adapter            Weight: 3.6kg</p> <p>Included accessories            Main unit: 1pc            Sensor(cable length 1.5m): 1pc            1.2m sensor extension cable: 1pc            AC/DC adaptor: 1pc</p>
AC-TT2200	<p>Range: 220-2200N.m            Accuracy: ±1%            Resolution: 0.1N.m            Size of square drive: 1""            Conventor: 1"" to 3/4"";            3/4"" to 1/2""            Power: AC/DC adapter            Weight: 6.4kg</p> <p>Included accessories            Main unit: 1pc            Sensor(cable length 1.5m): 1pc            1.2m sensor extension cable: 1pc            AC/DC adaptor: 1pc</p>
AC-TT5	<p>Range: 0.5-10N.m            Accuracy: ±1%            Resolution: 0.0001N.m            Size of square drive: 1/4""            Conventor: without            Power: AC/DC adapter            Weight: 3.1kg</p> <p>Included accessories            Main unit: 1pc            Sensor(cable length 1.5m): 1pc            1.2m sensor extension cable: 1pc            AC/DC adaptor: 1pc</p>
AC-TT50	<p>Range: 5-50N.m            Accuracy: ±1%            Resolution: 0.001N.m            Size of square drive: 3/8""            Conventor: 3/8"" to 1/4""            Power: AC/DC adapter            Weight: 3.4kg</p> <p>Included accessories            Main unit: 1pc            Sensor(cable length 1.5m): 1pc            1.2m sensor extension cable: 1pc            AC/DC adaptor: 1pc</p>
AC-TT550	<p>Range: 55-550N.m            Accuracy: ±1%            Resolution: 0.01N.m            Size of square drive: 3/4""            Conventor: 3/4"" to 1/2"";            1/2"" to 3/8""            Power: AC/DC adapter            Weight: 4.9kg</p> <p>Included accessories            Main unit: 1pc            Sensor(cable length 1.5m): 1pc            1.2m sensor extension cable: 1pc            AC/DC adaptor: 1pc</p>