ACCUD

ACCURATE MEASUREMENT




See full product range at: accud.nz

Digital Bottle Cap Torque Meter

Series TTM





Features

Test the open and tighten torque of bottle cap
Peak, preset and real-time working mode
Unit: N.m, N.cm, kgf.cm, lbf.cm, lbf.in
Memory: 1000
Power off automatically
With software, can show the torque graph

Specifications

Part No	Specification
AC-TTM10	Range: 0.5-10N.m Accuracy: ±0.5% Resolution: 0.001N.m Open size: Ø19.5-190mm Output: USB and RS232 Power: rechargeable battery Weight: 2.5kg Included accessories Main unit: 1pc Charger: 1pc Software with cable: 1pc Optional accessories Wireless printer: PR100
AC-TTM2	Range: 0.1-2N.m Accuracy: ±0.5% Resolution: 0.0002N.m Open size: Ø19.5-190mm Output: USB and RS232 Power: rechargeable battery Weight: 2.5kg Included accessories Main unit: 1pc Charger: 1pc Software with cable: 1pc Optional accessories Wireless printer: PR100

© 2026 M Gamer Pty Ltd

Part No	Specification
AC-TTM20	Range: 1-20N.m Accuracy: ±0.5% Resolution: 0.002N.m Open size: Ø19.5-190mm Output: USB and RS232 Power: rechargeable battery Weight: 2.5kg Included accessories Main unit: 1pc Charger: 1pc Software with cable: 1pc Optional accessories Wireless printer: PR100
AC-TTM5	Range: 0.25-5N.m Accuracy: ±0.5% Resolution: 0.0005N.m Open size: Ø19.5-190mm Output: USB and RS232 Power: rechargeable battery Weight: 2.5kg Included accessories Main unit: 1pc Charger: 1pc Software with cable: 1pc Optional accessories Wireless printer: PR100

© 2026 M Gamer Pty Ltd